

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)



AT-1807

Laboratory Report

for

Private Spring Water LLC.
13240 Llagas Ave.
San Martin, CA 95046
Attention: Al Vincelette

Date of Issue
08/03/2018

Kasey Raley
EUROFINS EATON
ANALYTICAL, LLC



Utah ELCP CA00006

H1NJ: Kasey Raley
Project Manager

Report: 743278
Project: ANNUAL
Group: annual-50 state

* Accredited in accordance with TNI 2009 and ISO/IEC 17025:2005.

* Laboratory certifies that the test results meet all **TNI 2009 and ISO/IEC 17025:2005** requirements unless noted under the individual analysis.

* Following the cover page are State Certification List, ISO 17025 Accredited Method List, Acknowledgement of Samples Received, Comments, Hits Report, Data Report, QC Summary, QC Report and Regulatory Forms, as applicable.

* Test results relate only to the sample(s) tested.

STATE CERTIFICATION LIST

State	Certification Number	State	Certification Number
Alabama	41060	Mississippi	Certified
Arizona	AZ0778	Montana	Cert 0035
Arkansas	Certified	Nebraska	Certified
California-Monrovia-ELAP	2813	Nevada	CA000062018
California-Colton- ELAP	2812	New Hampshire *	2959
Colorado	Certified	New Jersey *	CA 008
Connecticut	PH-0107	New Mexico	Certified
Delaware	CA 006	New York *	11320
Florida *	E871024	North Carolina	06701
Georgia	947	North Dakota	R-009
Guam	18-005R	Oregon *	CA200003-005
Hawaii	Certified	Pennsylvania *	68-565
Idaho	Certified	Puerto Rico	Certified
Illinois *	200033	Rhode Island	LAO00326
Indiana	C-CA-01	South Carolina	87016
Iowa - Asbestos	413	South Dakota	Certified
Kansas *	E-10268	Tennessee	TN02839
Kentucky	90107	Texas *	T104704230-17-13
Louisiana *	LA180000	Utah (Primary AB) *	CA00006
Maine	CA0006	Vermont	VT0114
Maryland	224	Virginia *	460260
Commonwealth of Northern Marianas Is.	MP0004	Washington	C838
Massachusetts	M-CA006	EPA Region 5	Certified
Michigan	9906	Los Angeles County Sanitation Districts	10264

* NELAP/TNI Recognized Accreditation Bodies

ISO 17025 Accredited Method List

The tests listed below are accredited and meet the requirements of ISO 17025 as verified by the ANSI-ASQ National Accreditation Board/ANAB. Refer to Certificate and scope of accreditation (AT 1807) found at: <http://www.eatonanalytical.com>

SPECIFIC TESTS	METHOD OR TECHNIQUE USED	Environmental (Drinking Water)	Environmental (Waste Water)	Water as a Component of Food and Bev/Bev/ Bottled Water
1,4-Dioxane	EPA 522	x		x
2,3,7,8-TCDD	Modified EPA 1613B	x		x
Acrylamide	In House Method (2440)	x		x
Alkalinity	SM 2320B	x	x	x
Ammonia	EPA 350.1		x	x
Ammonia	SM 4500-NH3 H		x	x
Anions and DBPs by IC	EPA 300.0	x	x	x
Anions and DBPs by IC	EPA 300.1	x		x
Asbestos	EPA 100.2	x	x	
Bicarbonate Alkalinity as HCO3	SM 2320B	x	x	x
BOD / CBOD	SM 5210B		x	x
Bromate	In House Method (2447)	x		x
Carbamates	EPA 531.2	x		x
Carbonate as CO3	SM 2330B	x	x	x
Carbonyls	EPA 556	x		x
COD	EPA 410.4 / SM 5220D		x	
Chloramines	SM 4500-CL G	x	x	x
Chlorinated Acids	EPA 515.4	x		x
Chlorinated Acids	EPA 555	x		x
Chlorine Dioxide	SM 4500-CLO2 D	x		x
Chlorine -Total/Free/ Combined Residual	SM 4500-Cl G	x	x	x
Conductivity	EPA 120.1		x	
Conductivity	SM 2510B	x	x	x
Corrosivity (Langelier Index)	SM 2330B	x		x
Cryptosporidium	EPA 1623	x		x
Cyanide, Amenable	SM 4500-CN G	x	x	
Cyanide, Free	SM 4500CN F	x	x	x
Cyanide, Total	EPA 335.4	x	x	x
Cyanogen Chloride (screen)	In House Method (2470)	x		x
Diquat and Paraquat	EPA 549.2	x		x
DBP/HAA	SM 6251B	x		x
Dissolved Oxygen	SM 4500-O G		x	x
DOC	SM 5310C	x		x
E. Coli (MTF/EC+MUG)		x		x
E. Coli	CFR 141.21(f)(6)(i)	x		x
E. Coli	SM 9223		x	
E. Coli (Enumeration)	SM 9221B.1/ SM 9221F	x		x
E. Coli (Enumeration)	SM 9223B	x		x
EDB/DCBP	EPA 504.1	x		
EDB/DCBP and DBP	EPA 551.1	x		x
EDTA and NTA	In House Method (2454)	x		x
Endothall	EPA 548.1	x		x
Endothall	In-house Method (2445)	x		x
Enterococci	SM 9230B	x	x	
Fecal Coliform	SM 9221 E (MTF/EC)	x		
Fecal Coliform	SM 9221C, E (MTF/EC)		x	
Fecal Coliform (Enumeration)	SM 9221E (MTF/EC)	x		x
Fecal Coliform with Chlorine Present	SM 9221E		x	
Fecal Streptococci	SM 9230B	x	x	
Fluoride	SM 4500-F C	x	x	x
Giardia	EPA 1623	x		x
Glyphosate	EPA 547	x		x
Gross Alpha/Beta	EPA 900.0	x	x	x
Gross Alpha Coprecipitation	SM 7110 C	x	x	x
Hardness	SM 2340B	x	x	x
Heterotrophic Bacteria	In House Method (2439)	x		x
Heterotrophic Bacteria	SM 9215 B	x		x
Hexavalent Chromium	EPA 218.6	x	x	x

SPECIFIC TESTS	METHOD OR TECHNIQUE USED	Environmental (Drinking Water)	Environmental (Waste Water)	Water as a Component of Food and Bev/Bev/ Bottled Water
Hexavalent Chromium	EPA 218.7	x		x
Hexavalent Chromium	SM 3500-Cr B		x	
Hormones	EPA 539	x		x
Hydroxide as OH Calc.	SM 2330B	x		x
Kjeldahl Nitrogen	EPA 351.2		x	
Legionella	CDC Legionella	x		x
Mercury	EPA 245.1	x	x	x
Metals	EPA 200.7 / 200.8	x	x	x
Microcystin LR	ELISA (2360)	x		x
NDMA	EPA 521	x		x
NDMA	TQ In house method based on EPA 521 (2425)	x		x
Nitrate/Nitrite Nitrogen	EPA 353.2	x	x	x
OCL, Pesticides/PCB	EPA 505	x		x
Ortho Phosphate	EPA 365.1	x	x	x
Ortho Phosphate	SM 4500P E			x
Ortho Phosphorous	SM 4500P E	x		
Oxyhalides Disinfection Byproducts	EPA 317.0	x		x
Perchlorate	EPA 331.0	x		x
Perchlorate (low and high)	EPA 314.0	x		x
Perfluorinated Alkyl Acids	EPA 537	x		x
pH	EPA 150.1	x		
pH	SM 4500-H+B	x	x	x
Phenylurea Pesticides/ Herbicides	In House Method, based on EPA 532 (2448)	x		x
Pseudomonas	IDEXX Pseudalert (2461)	x		x
Radium-226	GA Institute of Tech	x		x
Radium-228	GA Institute of Tech	x		x
Radon-222	SM 7500RN	x		x
Residue, Filterable	SM 2540C	x	x	x
Residue, Non-filterable	SM 2540D		x	
Residue, Total	SM 2540B		x	x
Residue, Volatile	EPA 160.4		x	
Semi-VOC	EPA 525.2	x		x
Semi-VOC	EPA 625		x	x
Silica	SM 4500-Si D	x	x	
Silica	SM 4500-SiO2 C	x	x	
Sulfide	SM 4500-S ⁻ D		x	
Sulfite	SM 4500-SO ³ B	x	x	x
Surfactants	SM 5540C	x	x	x
Taste and Odor Analytes	SM 6040E	x		x
Total Coliform (P/A)	SM 9221 A, B	x		x
Total Coliform (Enumeration)	SM 9221 A, B, C	x		x
Total Coliform / E. coli	Colisure SM 9223	x		x
Total Coliform	SM 9221B		x	
Total Coliform with Chlorine Present	SM 9221B		x	
Total Coliform / E.coli (P/A and Enumeration)	SM 9223	x		x
TOC	SM 5310C	x	x	x
TOX	SM 5320B		x	
Total Phenols	EPA 420.1		x	
Total Phenols	EPA 420.4	x	x	x
Total Phosphorous	SM 4500 P E		x	
Turbidity	EPA 180.1	x	x	x
Turbidity	SM 2130B	x	x	
Uranium by ICP/MS	EPA 200.8	x		x
UV 254	SM 5910B	x		
VOC	EPA 524.2/EPA 524.3	x		x
VOC	EPA 624		x	x
VOC	EPA SW 846 8260	x		x
VOC	In House Method (2411)	x		x
Yeast and Mold	SM 9610	x		x

Acknowledgement of Samples Received

Addr: **Private Spring Water LLC**
13240 Llagas Ave Street
San Martin, CA 95046

Client ID: CHAMELEON
Folder #: 743278
Project: ANNUAL
Sample Group: annual-50 state

Attn: Al Vincelette
Phone: 408-681-1003

Project Manager: Kasey Raley
Phone:

The following samples were received from you on **June 07, 2018 at 1709**. They have been scheduled for the tests listed below each sample. If this information is incorrect, please contact your service representative. Thank you for using Eurofins Eaton Analytical, LLC.

Sample #	Sample ID	Sample Date
201806110171	CBC 18 151 2129 EXP MAY 31 20 SPRING WATER 500ML	06/11/2018 1234
	Bromate by UV/VIS	Heterotrophic Plate Count
	@YMOLD	@QUANT2000 18HR
201806110172	CBC 18 151 2129 EXP MAY 31 20 SPRING WATER 500ML	06/11/2018 1234
	@2378-TCDD_Dioxin	@331-PHG
	@515.4	@505
	@549	@525
	@ANIONS28	@551SODA
	@DBP_28	@900
	@ICPMS	@ANIONS48
	@VOA	@HAA
	Apparent Color	@RA226 GA
	Carbon Dioxide,Free(25C)-Calc.	Alkalinity in CaCO3 units
	Chloramines	Anion Sum - Calculated
	Endothall	Asbestos by TEM - >10 microns
	Glyphosate	Bicarb.Alkalinity as HCO3,calc
	Mercury	Carbonate as CO3, Calculated
	PH, Bottled Water	Cation Sum - Calculated
	Surfactants	Chlorine Dioxide
	Total Hardness as CaCO3 by ICP	Fluoride
		Free Chlorine Residual
		Hydroxide as OH, Calculated
		Langelier Index - 25 degree
		Odor at 60 C (TON)
		pH of CaCO3 saturation(25C)
		Specific Conductance
		Total Chlorine Residual
		Total Dissolved Solid (TDS)
		Turbidity

Test Description

@2378-TCDD_Dioxin -- 2,3,7,8-TCDD_Dioxin

@331-PHG -- Perchlorate by EPA 331.0

@505 -- Organochlorine Pesticides/PCBs

@515.4 -- Chlorophenoxy Herbicides

@525 -- Semivolatiles by GCMS

@531 -- Aldicarbs

@549 -- Diquat and Paraquat

@551SODA -- EDB/DBCP/HAN by EPA 551.1

@900 -- Gross Alpha/Beta Radiation

@ANIONS28 -- Chloride, Sulfate by EPA 300.0

@ANIONS48 -- Nitrate, Nitrite by EPA 300.0

Acknowledgement of Samples Received

Addr: **Private Spring Water LLC**
 13240 Llagas Ave Street
 San Martin, CA 95046

Client ID: CHAMELEON
 Folder #: 743278
 Project: ANNUAL
 Sample Group: annual-50 state

Attn: Al Vincelette
 Phone: 408-681-1003

Project Manager: Kasey Raley
 Phone:

The following samples were received from you on **June 07, 2018 at 1709**. They have been scheduled for the tests listed below each sample. If this information is incorrect, please contact your service representative. Thank you for using Eurofins Eaton Analytical, LLC.

Sample #	Sample ID	Sample Date
	@DBP_14 -- Chlorite by 300.0	
	@DBP_28 -- Disinfection ByProducts by 300.0	
	@HAA -- Haloacetic Acids	
	@ICP -- ICP Metals	
	@ICPMS -- ICPMS Metals	
	@RA226 GA -- Radium 226	
	@RA228 GA -- Radium 228	
	@VOA -- Volatile Organics by GCMS	
	@QUANT2000 18HR -- Quantitray Coliforms 18 Hour	
	@YMOLD -- Yeast and Mold	



Eaton Analytical

750 Royal Oaks Drive, Suite 100
Monrovia, CA 91016-3629
Phone: 626 386 1100
Fax: 626 386 1101

800 566 LABS (800 566 5227)

CHAIN OF CUSTODY RECORD

743278

EUROFINS EATON ANALYTICAL USE ONLY:

LOGIN COMMENTS:

SAMPLES CHECKED AGAINST COC BY: h

SAMPLES LOGGED IN BY: h

SAMPLES REC'D DAY OF COLLECTION? (check for yes)

SAMPLE TEMP RECEIVED AT:

Colton / No. California / Arizona 22.5 °C (Compliance: 4 ± 2 °C)

Monrovia 22.5 °C (Compliance: 4 ± 2 °C)

CONDITION OF BLUE ICE: Frozen Partially Frozen Thawed Wet Ice No Ice

METHOD OF SHIPMENT: Pick-Up / Walk-In / FedEx / UPS / DHL / Area Fast / Top Line / Other:

TO BE COMPLETED BY SAMPLER:

COMPANY/AGENCY NAME: Chameleon Beverage Company, Inc.		PROJECT CODE:	COMPLIANCE SAMPLES - Requires state forms	NON-COMPLIANCE SAMPLES	(check for yes)															
EEA CLIENT CODE:	COC ID:	SAMPLE GROUP:	Type of samples (circle one):	REGULATION INVOLVED:																
TAT requested: rush by adv notice only		STD <input type="checkbox"/> 1 wk <input checked="" type="checkbox"/> 3 day <input type="checkbox"/> 2 day <input type="checkbox"/> 1 day	SEE ATTACHED BOTTLE ORDER FOR ANALYSES (check for yes), <u>OR</u> list ANALYSES REQUIRED (enter number of bottles sent for each test for each sample)																	
SAMPLE DATE	SAMPLE TIME	SAMPLE ID	CLIENT LAB ID	MATRIX *	FIELD DATA	FIELD DATA	HPC	P/A	Yeast & Mold	Bromate	pH	TDS	Potability Test	Title 21 50 States Certificate	TOC	DNA	Foreign Material ID	SAMPLER COMMENTS		
06/31/18	21:29	CBC 18 151 2129 EXP MAY 31 20	Spring Water	BW										X						

* MATRIX TYPES: RSW = Raw Surface Water CFW = Chlor(am)inated Finished Water SO = Soil O = Other - Please Identify
 RGW = Raw Ground Water FW = Other Finished Water BW = Bottled Water SW = Storm Water SL = Sludge
 SEAW = Sea Water WW = Waste Water

SAMPLED BY:	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE	TIME
RELINQUISHED BY:		Araceli Ramirez	Chameleon Beverage Company, Inc	06/04/18	
RECEIVED BY:				6/7/18	17:05
RELINQUISHED BY:					
RECEIVED BY:					



Eaton Analytical

INTERNAL CHAIN OF CUSTODY RECORD

EAEA Folder Number: 743278

SAMPLE TEMP RECEIVED:

Note: If samples are out of temperature range, let the ASMs know. ASMs will determine whether to proceed with analysis or not.

SAMPLES REC'D DAY OF COLLECTION? Yes / No

IR Gun ID = 618A (Observation = 22.5 °C) (Corr. Factor 0 °C) (Final = 22.5 °C)

TYPE OF ICE: Real Synthetic No Ice Frozen Partially Frozen Thawed N/A

METHOD OF SHIPMENT: Pick-Up / Walk-In / FedEx / UPS / DHL / Area Fast / Top Line / Other: _____

Compliance Acceptance Criteria:

- 1) Chemistry: >0, ≤6°C, not frozen (NELAP) (if received after 24 hrs of sample collection)
- 2) Microbiology, Distribution: < 10°C, not frozen (can be ≥10°C if received on ice the same day as sample collection, within 8 hours)
- 3) Microbiology, Surface Water: < 10°C (if received after 2 hours of sample collection)

If out of temperature range for both Chemistry and Microbiology samples and temperature does not confirm, then measure the temperature of each quadrant and record each temperature of the quadrants

1 = (Observation = _____ °C) (Corr. Factor = _____ °C) (Final = _____ °C)	2 = (Observation = _____ °C) (Corr. Factor = _____ °C) (Final = _____ °C)
3 = (Observation = _____ °C) (Corr. Factor = _____ °C) (Final = _____ °C)	4 = (Observation = _____ °C) (Corr. Factor = _____ °C) (Final = _____ °C)

- 4) Dioxin (1613 or 2,3,7,8 TCDD): must be between 0-4 °C, not frozen (if received after 24 hrs of sample collection)
- 5) pH Check. Manufacturer: _____ Lot Number: _____ pH strip type: 0 - 14 or _____ Expiration Date _____ Results: _____
- 6) Chlorine check. Manufacturer: Samsafe. Lot No.: _____ Expiration Date: _____ Results _____

7) VOA Headspace: No Samples with Headspace: Samples with Headspace (see below):

Headspace Documentation (use additional VOC Internal COFC for additional bottles)

Exempt from headspace concerns: Methods 515.4, HAA(5251,552), 505, SPME, @CH, 532LCMS, 556, 536, Anatoxin, LCMS methods using 40 ml vials, International clients:

Sample ID	Bottle #	None/<6 mm	>6mm	Sample ID	Bottle #	None/<6 mm	>6mm

Note Sample IDs which have dissimilar headspace (i.e. potential sampling errors): _____

SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE	TIME
		Eurolins Eaton Analytical	6/7/18	17:09

3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: IMPORTANT: TRANSMIT YOUR SHIPPING DATA AND PRINT A MANIFEST:

At the end of each shipping day, you should perform the FedEx Ground End of Day Close procedure to transmit your shipping data to FedEx. To do so, click on the Ground End of Day Close Button. If required, print the pickup manifest that appears. A printed manifest is required to be tendered along with your packages if they are being picked up by FedEx Ground. If you are dropping your packages off at a FedEx drop off location, the manifest is not required.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide and applicable tariff, available upon request. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations, including limitations on our liability, can be found in the current FedEx Service Guide and applicable tariff apply. In no event shall FedEx Ground be liable for any special, incidental, or consequential damages, including, without limitation, loss of profit, loss to the intrinsic value of the package, loss of sale, interest income or attorney's fees. Recovery cannot exceed actual documented loss. Items of extraordinary value are subject to separate limitations of liability set forth in the Service Guide and tariff. Written claims must be filed within strict time limits, see current FedEx Service Guide.

FROM: (323) 724-8223

Araceli Ramirez
Chameleon Beverage
6444 E. 26th Street
Comerce CA 90040
US

SHIP DATE: 05 JUN 18
ACT WGT: 35.00 LB
CAD: 5654016/NET3980

BILL SENDER

TO: ATT. David Tripp

EEA LABS

750 ROYAL OAKS DR


STE 100

MONROVIA CA 91016

(626) 386-1100

REF: SPRING WATER T21

INVT: DEPT:



J181118012601uv



FedEx Ground


552J11A8E5IDCA5

(us)

2 of 2
MPS# 7724 0206 7701
Mstr# 7724 0206 7436

91016

9622 0019 0 (000 000 0000) 0 00 7724 0206 7701



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Client: Private Spring Water LLC.
13240 Llagas Ave
San Martin, CA 95046

Report Date: 08/03/2018
Date Received: 06/07/2018
Sample No: 201806110171

Attention: Al Vincelette

Sample Id: CBC 18 151 2129 EXP MAY 31 20 SPRING WATER 500ML
Date Sampled: 6/11/2018

Investigation: Analysis per Title 21, Federal Code of Regulations 165.110 - California Limits

ANALYTICAL RESULTS

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
GROUP VIa					
BACTERIOLOGICAL					
		Colonies/100 mL			
E Coli Bacteria	SM 9223	1.0	1	<1	1
Total Coliform Bacteria	SM 9223	1.0	1	<1	2.2
GROUP VIb					
BACTERIOLOGICAL-HPC					
		Colony Forming Units per mL			
Heterotrophic Plate Count	SM 9215B	1.0	1	<1	no std
GROUP VII					
Disinfection Byproducts					
		Milligrams per Liter			
Bromate	EPA 317	0.0010	1	ND	0.01
GROUP I					
PHYSICAL					
Apparent Color (ACU)	SM 2120B	3.0	1	ND ACU	15
Odor at 60 C (TON)	SM 2150B	1.0	1	ND TON	3
pH (Units)	4500HB/E 150	0.10	1	7.4	8.5
Specific Conductance (uS/cm)	SM2510B	2.0	1	140	no std
Total Dissolved Solid (TDS)	SM 2540C	10	1	100	500
Turbidity (NTU)	EPA 180.1	0.10	1	0.11 NTU	5
GROUP II					
CHEMICAL SUBSTANCE 1					
		Milligrams per Liter			
Alkalinity in CaCO3 units	SM 2320B	2.0	1	52	no std
Aluminum	EPA 200.8	0.020	1	ND	0.2
Antimony	EPA 200.8	0.0010	1	ND	0.006
Arsenic	EPA 200.8	0.0010	1	ND	0.010
Asbestos by TEM - >10 microns (MFL)	EPA 100.2	0.20	1	ND	no std
Barium	EPA 200.8	0.0020	1	0.029	2
Beryllium	EPA 200.8	0.0010	1	ND	0.004
Bicarb Alkalinity as HCO3	SM2330B	2.0	1	63	no std

SOQ=Standard of Quality per FDA or California
ND=Not detected at the specified limit
All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA
 Report: 743278

Report Date: 08/03/2018
 Date Received: 06/07/2018
 Sample No: 201806110172

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Cadmium	EPA 200.8	0.00050	1	ND	0.005
Calcium	EPA 200.7	1.0	1	12	no std
Carbonate as CO3	SM2330B	2.0	1	ND	no std
Chloride	EPA 300.0	0.50	1	6.5	250
Chromium	EPA 200.8	0.0010	1	ND	0.1
Copper	EPA 200.8	0.0020	1	ND	1.0
Corrosivity (units)	SM 2330B	-14	1	-1.2	no std
Cyanide	SM 4500CN-F	0.025	1	ND	0.2
Fluoride	SM 4500F-C	0.050	1	ND	1.4
Hydroxide as OH	SM2330B	2.0	1	ND	no std
Iron	EPA 200.7	0.020	1	ND	0.3
Lead	EPA 200.8	0.00050	1	ND	0.005
Magnesium	EPA 200.7	0.10	1	3.6	no std
Manganese	EPA 200.8	0.0020	1	ND	0.05
Mercury	EPA 245.1	0.00020	1	ND	0.002
Nickel	EPA 200.8	0.0050	1	ND	0.1
Nitrate-N	EPA 300.0	0.10	1	0.30	10
Nitrite-N	EPA 300.0	0.050	1	ND	1
Perchlorate	EPA 331.0	0.00050	1	ND	no std
Phenol	EPA 420.4	0.0010	2	ND	0.001
Potassium	EPA 200.7	1.0	1	3.0	no std
Selenium	EPA 200.8	0.0050	1	ND	0.05
Silver	EPA 200.8	0.00050	1	ND	0.1
Sodium	EPA 200.7	1.0	1	10	no std
Sulfate	EPA 300.0	0.50	1	5.1	250
Surfactants (MBAS)	SM 5540C	0.10	1	ND	no std
Thallium	EPA 200.8	0.0010	1	ND	0.002
Total Hardness as CaCO3	EPA 200.7	3.0	1	45	no std
Total Nitrate + Nitrite	EPA 300.0	0.10	1	0.30	10
Zinc	EPA 200.8	0.020	1	ND	5.0
GROUP III					
CHEMICAL SUBSTANCE 2 (VOC)		Milligrams per Liter			
1,1,1,2-Tetrachloroethane	EPA 524.2	0.00050	1	ND	no std
1,1,1-Trichloroethane	EPA 524.2	0.00050	1	ND	0.20
1,1,2,2-Tetrachloroethane	EPA 524.2	0.00050	1	ND	no std
1,1,2-Trichloroethane	EPA 524.2	0.00050	1	ND	0.005
1,1-Dichloroethane	EPA 524.2	0.00050	1	ND	no std
1,1-Dichloroethene	EPA 524.2	0.00050	1	ND	0.007

SOQ=Standard of Quality per FDA or California
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA
 Report: 743278

Report Date: 08/03/2018
 Date Received: 06/07/2018
 Sample No: 201806110172

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
1,1-Dichloropropene	EPA 524.2	0.00050	1	ND	no std
1,2,3-Trichlorobenzene	EPA 524.2	0.00050	1	ND	no std
1,2,3-Trichloropropane	EPA 524.2	0.00050	1	ND	no std
1,2,4-Trichlorobenzene	EPA 524.2	0.00050	1	ND	0.07
1,2,4-Trimethylbenzene	EPA 524.2	0.00050	1	ND	no std
1,2-Dichloroethane	EPA 524.2	0.00050	1	ND	0.005
1,2-Dichloropropane	EPA 524.2	0.00050	1	ND	0.005
1,3,5-Trimethylbenzene	EPA 524.2	0.00050	1	ND	no std
1,3-Dichloropropane	EPA 524.2	0.00050	1	ND	no std
2,2-Dichloropropane	EPA 524.2	0.00050	1	ND	no std
Benzene	EPA 524.2	0.00050	1	ND	0.005
Bromobenzene	EPA 524.2	0.00050	1	ND	no std
Bromochloromethane	EPA 524.2	0.00050	1	ND	no std
Bromodichloromethane	EPA 524.2	0.00050	1	0.00091	no std
Bromoform	EPA 524.2	0.00050	1	ND	no std
Bromomethane	EPA 524.2	0.00050	1	ND	no std
Carbon Tetrachloride	EPA 524.2	0.00050	1	ND	0.005
Chlorobenzene	EPA 524.2	0.00050	1	ND	0.1
Chlorodibromomethane	EPA 524.2	0.00050	1	ND	no std
Chloroethane	EPA 524.2	0.00050	1	ND	no std
Chloroform (Trichloromethane)	EPA 524.2	0.00050	1	0.0014	no std
Chloromethane	EPA 524.2	0.00050	1	ND	no std
cis-1,2-Dichloroethylene	EPA 524.2	0.00050	1	ND	0.07
cis-1,3-Dichloropropene	EPA 524.2	0.00050	1	ND	no std
Dibromomethane	EPA 524.2	0.00050	1	ND	no std
Dichlorodifluoromethane	EPA 524.2	0.00050	1	ND	no std
Dichloromethane (MeCl2)	EPA 524.2	0.00050	1	ND	0.005
Ethyl benzene	EPA 524.2	0.00050	1	ND	0.7
Fluorotrichloromethane-Freon11	EPA 524.2	0.00050	1	ND	no std
Hexachlorobutadiene	EPA 524.2	0.00050	1	ND	no std
Isopropylbenzene	EPA 524.2	0.00050	1	ND	no std
m,p-Xylenes	EPA 524.2	0.00050	1	ND	no std
m-Dichlorobenzene (1,3-DCB)	EPA 524.2	0.00050	1	ND	no std
Methyl ethyl ketone (MEK, Butanone)	EPA 524.2	0.0050	1	ND	no std
MTBE	EPA 524.2	0.00050	1	ND	no std
n-Butylbenzene	EPA 524.2	0.00050	1	ND	no std
n-Propylbenzene	EPA 524.2	0.00050	1	ND	no std
o-Chlorotoluene	EPA 524.2	0.00050	1	ND	no std

SOQ=Standard of Quality per FDA or California
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA
 Report: 743278

Report Date: 08/03/2018
 Date Received: 06/07/2018
 Sample No: 201806110172

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
o-Dichlorobenzene (1,2-DCB)	EPA 524.2	0.00050	1	ND	0.6
o-Xylene	EPA 524.2	0.00050	1	ND	no std
p-Chlorotoluene	EPA 524.2	0.00050	1	ND	no std
p-Dichlorobenzene (1,4-DCB)	EPA 524.2	0.00050	1	ND	0.075
p-Isopropyltoluene	EPA 524.2	0.00050	1	ND	no std
sec-Butylbenzene	EPA 524.2	0.00050	1	ND	no std
Styrene	EPA 524.2	0.00050	1	ND	0.1
tert-Butylbenzene	EPA 524.2	0.00050	1	ND	no std
Tetrachloroethylene (PCE)	EPA 524.2	0.00050	1	ND	0.005
Toluene	EPA 524.2	0.00050	1	ND	1
Total 1,3-Dichloropropene	EPA 524.2	0.00050	1	ND	no std
Total THM	EPA 524.2	0.00050	1	0.0023	0.010
Total xylenes	EPA 524.2	0.00050	1	ND	10
trans-1,2-Dichloroethylene	EPA 524.2	0.00050	1	ND	0.1
trans-1,3-Dichloropropene	EPA 524.2	0.00050	1	ND	no std
Trichloroethylene (TCE)	EPA 524.2	0.00050	1	ND	0.005
Trichlorotrifluoroethane(F113)	EPA 524.2	0.00050	1	ND	no std
Vinyl chloride (VC)	EPA 524.2	0.00030	1	ND	0.002
GROUP IV					
CHEMICAL SUBSTANCE 3 (NON VOC)					
		Milligrams per Liter			
2,3,7,8-TCDD (ug/L)	EPA 1613B	0.0000000050	1	ND	0.000030
2,4,5-TP (Silvex)	EPA 515.4	0.00020	1	ND	0.05
2,4-D	EPA 515.4	0.00010	1	ND	0.07
3-Hydroxycarbofuran	EPA 531.2	0.00050	1	ND	no std
Alachlor (Alanex)	EPA 505	0.00010	1	ND	0.002
Aldicarb (Temik)	EPA 531.2	0.00050	1	ND	no std
Aldicarb sulfone	EPA 531.2	0.00050	1	ND	no std
Aldicarb sulfoxide	EPA 531.2	0.00050	1	ND	no std
Aldrin	EPA 505	0.000010	1	ND	no std
Atrazine	EPA 525.2	0.000050	1	ND	0.003
Baygon	EPA 531.2	0.00050	1	ND	no std
Bentazon	EPA 515.4	0.00050	1	ND	no std
Benzo(a)pyrene	EPA 525.2	0.000020	1	ND	0.0002
Butachlor	EPA 525.2	0.000050	1	ND	no std
Carbaryl	EPA 531.2	0.00050	1	ND	no std
Carbofuran	EPA 531.2	0.00050	1	ND	0.04
Chlordane	EPA 505	0.00010	1	ND	0.002
Dalapon	EPA 515.4	0.0010	1	ND	0.2

SOQ=Standard of Quality per FDA or California
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA
 Report: 743278

Report Date: 08/03/2018
 Date Received: 06/07/2018
 Sample No: 201806110172

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Di-(2-Ethylhexyl)adipate	EPA 525.2	0.00060	1	ND	0.4
Di(2-Ethylhexyl)phthalate	EPA 525.2	0.00060	1	ND	0.006
Dibromochloropropane (DBCP)	EPA 551.1	0.000010	1	ND	0.0002
Dicamba	EPA 515.4	0.00010	1	ND	no std
Dieldrin	EPA 505	0.000010	1	ND	no std
Dinoseb	EPA 515.4	0.00020	1	ND	0.007
Diquat	EPA 549.2	0.00040	1	ND	0.02
Endothall	EPA 548.1	0.0050	1	ND	0.1
Endrin	EPA 505	0.000010	1	ND	0.002
Ethylene Dibromide (EDB)	EPA 551.1	0.000010	1	ND	0.00005
Glyphosate	EPA 547	0.0060	1	ND	0.7
Heptachlor	EPA 505	0.000010	1	ND	0.0004
Heptachlor Epoxide	EPA 505	0.000010	1	ND	0.0002
Hexachlorobenzene	EPA 525.2	0.000050	1	ND	0.001
Hexachlorocyclopentadiene	EPA 525.2	0.000050	1	ND	0.05
Lindane (gamma-BHC)	EPA 505	0.000010	1	ND	0.0002
Methiocarb	EPA 531.2	0.00050	1	ND	no std
Methomyl	EPA 531.2	0.00050	1	ND	no std
Methoxychlor	EPA 505	0.000050	1	ND	0.04
Metolachlor	EPA 525.2	0.000050	1	ND	no std
Metribuzin	EPA 525.2	0.000050	1	ND	no std
Oxamyl (Vydate)	EPA 531.2	0.00050	1	ND	0.2
Paraquat	EPA 549.2	0.0020	1	ND	no std
Pentachlorophenol	EPA 515.4	0.000040	1	ND	0.001
Picloram	EPA 515.4	0.00010	1	ND	0.5
Propachlor	EPA 525.2	0.000050	1	ND	no std
Simazine	EPA 525.2	0.000050	1	ND	0.004
Thiobencarb	EPA 525.2	0.00020	1	ND	no std
Total PCBs	EPA 505	0.00010	1	ND	0.0005
Toxaphene	EPA 505	0.00050	1	ND	0.003
GROUP V					
RADIOACTIVITY					
Picocuries per Liter					
Gross Alpha	EPA 900.0	3.0	1	ND	15
Gross Beta	EPA 900.0	3.0	1	ND	50
Radium 226	Ra-226 GA	1.0	1	ND	3
Radium 228	Ra-228 GA	1.0	1	ND	5
Uranium (mg/L)	EPA 200.8	0.0010	1	ND	0.03

SOQ=Standard of Quality per FDA or California
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA
 Report: 743278

Report Date: 08/03/2018
 Date Received: 06/07/2018
 Sample No: 201806110172

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
GROUP VII					
Disinfection Byproducts		Milligrams per Liter			
Bromide	EPA 300.0	0.0050	1	0.017	no std
Chlorite	EPA 300.0	0.010	1	ND	1
D/DBP Haloacetic Acids (HAA5)	SM 6251B	0.0020	1	ND	0.06
GROUP VIII					
Residual Disinfectants		Milligrams per Liter			
Chloramines	SM 4500CL-G/HACH	0.10	1	ND	4
Chlorine Dioxide	SM 4500CLO2-D/HACH	0.24	1	ND	0.8
Total Chlorine Residual	SM 4500CL-G/HACH	0.10	1	ND	4

SOQ=Standard of Quality per FDA or California
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Client: Private Spring Water LLC.
13240 Llagas Ave
San Martin, CA 95046

Report Date: 08/03/2018
Date Received: 06/07/2018
Sample No: 201806110171

Attention: Al Vincelette

Sample Id: CBC 18 151 2129 EXP MAY 31 20 SPRING WATER 500ML
Date Sampled: 6/11/2018

Investigation: Analysis per Title 21, Federal Code of Regulations 165.110 - New York Limits

ANALYTICAL RESULTS

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
GROUP VIa					
BACTERIOLOGICAL					
		Colonies/100 mL			
E Coli Bacteria	SM 9223	1.0	1	<1	1
Total Coliform Bacteria	SM 9223	1.0	1	<1	2.2
GROUP VIb					
BACTERIOLOGICAL-HPC					
		Colony Forming Units per mL			
Heterotrophic Plate Count	SM 9215B	1.0	1	<1	no std
GROUP VII					
Disinfection Byproducts					
		Milligrams per Liter			
Bromate	EPA 317	0.0010	1	ND	0.01
GROUP I					
PHYSICAL					
Apparent Color (ACU)	SM 2120B	3.0	1	ND ACU	15
Odor at 60 C (TON)	SM 2150B	1.0	1	ND TON	3
pH (Units)	4500HB/E 150	0.10	1	7.4	8.5
Specific Conductance (uS/cm)	SM2510B	2.0	1	140	no std
Total Dissolved Solid (TDS)	SM 2540C	10	1	100	500
Turbidity (NTU)	EPA 180.1	0.10	1	0.11 NTU	5
GROUP II					
CHEMICAL SUBSTANCE 1					
		Milligrams per Liter			
Alkalinity in CaCO3 units	SM 2320B	2.0	1	52	no std
Aluminum	EPA 200.8	0.020	1	ND	0.2
Antimony	EPA 200.8	0.0010	1	ND	0.006
Arsenic	EPA 200.8	0.0010	1	ND	0.010
Asbestos by TEM - >10 microns (MFL)	EPA 100.2	0.20	1	ND	no std
Barium	EPA 200.8	0.0020	1	0.029	2
Beryllium	EPA 200.8	0.0010	1	ND	0.004
Bicarb Alkalinity as HCO3	SM2330B	2.0	1	63	no std

SOQ=Standard of Quality per FDA or New York
ND=Not detected at the specified limit
All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_NY
 Report: 743278

Report Date: 08/03/2018
 Date Received: 06/07/2018
 Sample No: 201806110172

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Cadmium	EPA 200.8	0.00050	1	ND	0.005
Calcium	EPA 200.7	1.0	1	12	no std
Carbonate as CO3	SM2330B	2.0	1	ND	no std
Chloride	EPA 300.0	0.50	1	6.5	250
Chromium	EPA 200.8	0.0010	1	ND	0.1
Copper	EPA 200.8	0.0020	1	ND	1.0
Corrosivity (units)	SM 2330B	-14	1	-1.2	no std
Cyanide	SM 4500CN-F	0.025	1	ND	0.2
Fluoride	SM 4500F-C	0.050	1	ND	1.4
Hydroxide as OH	SM2330B	2.0	1	ND	no std
Iron	EPA 200.7	0.020	1	ND	0.3
Lead	EPA 200.8	0.00050	1	ND	0.005
Magnesium	EPA 200.7	0.10	1	3.6	no std
Manganese	EPA 200.8	0.0020	1	ND	0.05
Mercury	EPA 245.1	0.00020	1	ND	0.002
Nickel	EPA 200.8	0.0050	1	ND	0.1
Nitrate-N	EPA 300.0	0.10	1	0.30	10
Nitrite-N	EPA 300.0	0.050	1	ND	1
Perchlorate	EPA 331.0	0.00050	1	ND	no std
Phenol	EPA 420.4	0.0010	2	ND	0.001
Potassium	EPA 200.7	1.0	1	3.0	no std
Selenium	EPA 200.8	0.0050	1	ND	0.05
Silver	EPA 200.8	0.00050	1	ND	0.1
Sodium	EPA 200.7	1.0	1	10	no std
Sulfate	EPA 300.0	0.50	1	5.1	250
Surfactants (MBAS)	SM 5540C	0.10	1	ND	no std
Thallium	EPA 200.8	0.0010	1	ND	0.002
Total Hardness as CaCO3	EPA 200.7	3.0	1	45	no std
Total Nitrate + Nitrite	EPA 300.0	0.10	1	0.30	10
Zinc	EPA 200.8	0.020	1	ND	5.0
GROUP III					
CHEMICAL SUBSTANCE 2 (VOC)		Milligrams per Liter			
1,1,1,2-Tetrachloroethane	EPA 524.2	0.00050	1	ND	no std
1,1,1-Trichloroethane	EPA 524.2	0.00050	1	ND	0.20
1,1,2,2-Tetrachloroethane	EPA 524.2	0.00050	1	ND	no std
1,1,2-Trichloroethane	EPA 524.2	0.00050	1	ND	0.005
1,1-Dichloroethane	EPA 524.2	0.00050	1	ND	no std

SOQ=Standard of Quality per FDA or New York
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_NY
 Report: 743278

Report Date: 08/03/2018
 Date Received: 06/07/2018
 Sample No: 201806110172

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
1,1-Dichloroethene	EPA 524.2	0.00050	1	ND	0.007
1,1-Dichloropropene	EPA 524.2	0.00050	1	ND	no std
1,2,3-Trichlorobenzene	EPA 524.2	0.00050	1	ND	no std
1,2,3-Trichloropropane	EPA 524.2	0.00050	1	ND	no std
1,2,4-Trichlorobenzene	EPA 524.2	0.00050	1	ND	0.07
1,2,4-Trimethylbenzene	EPA 524.2	0.00050	1	ND	no std
1,2-Dichloroethane	EPA 524.2	0.00050	1	ND	0.005
1,2-Dichloropropane	EPA 524.2	0.00050	1	ND	0.005
1,3,5-Trimethylbenzene	EPA 524.2	0.00050	1	ND	no std
1,3-Dichloropropane	EPA 524.2	0.00050	1	ND	no std
2,2-Dichloropropane	EPA 524.2	0.00050	1	ND	no std
Benzene	EPA 524.2	0.00050	1	ND	0.005
Bromobenzene	EPA 524.2	0.00050	1	ND	no std
Bromochloromethane	EPA 524.2	0.00050	1	ND	no std
Bromodichloromethane	EPA 524.2	0.00050	1	0.00091	no std
Bromoform	EPA 524.2	0.00050	1	ND	no std
Bromomethane	EPA 524.2	0.00050	1	ND	no std
Carbon Tetrachloride	EPA 524.2	0.00050	1	ND	0.005
Chlorobenzene	EPA 524.2	0.00050	1	ND	0.1
Chlorodibromomethane	EPA 524.2	0.00050	1	ND	no std
Chloroethane	EPA 524.2	0.00050	1	ND	no std
Chloroform (Trichloromethane)	EPA 524.2	0.00050	1	0.0014	no std
Chloromethane	EPA 524.2	0.00050	1	ND	no std
cis-1,2-Dichloroethylene	EPA 524.2	0.00050	1	ND	0.07
cis-1,3-Dichloropropene	EPA 524.2	0.00050	1	ND	no std
Dibromomethane	EPA 524.2	0.00050	1	ND	no std
Dichlorodifluoromethane	EPA 524.2	0.00050	1	ND	no std
Dichloromethane (MeCl ₂)	EPA 524.2	0.00050	1	ND	0.005
Ethyl benzene	EPA 524.2	0.00050	1	ND	0.7
Fluorotrichloromethane-Freon11	EPA 524.2	0.00050	1	ND	no std
Hexachlorobutadiene	EPA 524.2	0.00050	1	ND	no std
Isopropylbenzene	EPA 524.2	0.00050	1	ND	no std
m,p-Xylenes	EPA 524.2	0.00050	1	ND	no std
m-Dichlorobenzene (1,3-DCB)	EPA 524.2	0.00050	1	ND	no std
Methyl ethyl ketone (MEK, Butanone)	EPA 524.2	0.0050	1	ND	no std
MTBE	EPA 524.2	0.00050	1	ND	no std
n-Butylbenzene	EPA 524.2	0.00050	1	ND	no std

SOQ=Standard of Quality per FDA or New York
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_NY
 Report: 743278

Report Date: 08/03/2018
 Date Received: 06/07/2018
 Sample No: 201806110172

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
n-Propylbenzene	EPA 524.2	0.00050	1	ND	no std
o-Chlorotoluene	EPA 524.2	0.00050	1	ND	no std
o-Dichlorobenzene (1,2-DCB)	EPA 524.2	0.00050	1	ND	0.6
o-Xylene	EPA 524.2	0.00050	1	ND	no std
p-Chlorotoluene	EPA 524.2	0.00050	1	ND	no std
p-Dichlorobenzene (1,4-DCB)	EPA 524.2	0.00050	1	ND	0.075
p-Isopropyltoluene	EPA 524.2	0.00050	1	ND	no std
sec-Butylbenzene	EPA 524.2	0.00050	1	ND	no std
Styrene	EPA 524.2	0.00050	1	ND	0.1
tert-Butylbenzene	EPA 524.2	0.00050	1	ND	no std
Tetrachloroethylene (PCE)	EPA 524.2	0.00050	1	ND	0.005
Toluene	EPA 524.2	0.00050	1	ND	1
Total 1,3-Dichloropropene	EPA 524.2	0.00050	1	ND	no std
Total THM	EPA 524.2	0.00050	1	0.0023	0.080
Total xylenes	EPA 524.2	0.00050	1	ND	10
trans-1,2-Dichloroethylene	EPA 524.2	0.00050	1	ND	0.1
trans-1,3-Dichloropropene	EPA 524.2	0.00050	1	ND	no std
Trichloroethylene (TCE)	EPA 524.2	0.00050	1	ND	0.005
Trichlorotrifluoroethane(F113)	EPA 524.2	0.00050	1	ND	no std
Vinyl chloride (VC)	EPA 524.2	0.00030	1	ND	0.002
GROUP IV					
CHEMICAL SUBSTANCE 3 (NON VOC)		Milligrams per Liter			
2,3,7,8-TCDD (ug/L)	EPA 1613B	0.0000000050	1	ND	0.000030
2,4,5-TP (Silvex)	EPA 515.4	0.00020	1	ND	0.05
2,4-D	EPA 515.4	0.00010	1	ND	0.07
3-Hydroxycarbofuran	EPA 531.2	0.00050	1	ND	no std
Alachlor (Alanex)	EPA 505	0.00010	1	ND	0.002
Aldicarb (Temik)	EPA 531.2	0.00050	1	ND	no std
Aldicarb sulfone	EPA 531.2	0.00050	1	ND	no std
Aldicarb sulfoxide	EPA 531.2	0.00050	1	ND	no std
Aldrin	EPA 505	0.000010	1	ND	no std
Atrazine	EPA 525.2	0.000050	1	ND	0.003
Baygon	EPA 531.2	0.00050	1	ND	no std
Bentazon	EPA 515.4	0.00050	1	ND	no std
Benzo(a)pyrene	EPA 525.2	0.000020	1	ND	0.0002
Butachlor	EPA 525.2	0.000050	1	ND	no std
Carbaryl	EPA 531.2	0.00050	1	ND	no std

SOQ=Standard of Quality per FDA or New York
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_NY
 Report: 743278

Report Date: 08/03/2018
 Date Received: 06/07/2018
 Sample No: 201806110172

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Carbofuran	EPA 531.2	0.00050	1	ND	0.04
Chlordane	EPA 505	0.00010	1	ND	0.002
Dalapon	EPA 515.4	0.0010	1	ND	0.2
Di-(2-Ethylhexyl)adipate	EPA 525.2	0.00060	1	ND	0.4
Di(2-Ethylhexyl)phthalate	EPA 525.2	0.00060	1	ND	0.006
Dibromochloropropane (DBCP)	EPA 551.1	0.000010	1	ND	0.0002
Dicamba	EPA 515.4	0.00010	1	ND	no std
Dieldrin	EPA 505	0.000010	1	ND	no std
Dinoseb	EPA 515.4	0.00020	1	ND	0.007
Diquat	EPA 549.2	0.00040	1	ND	0.02
Endothall	EPA 548.1	0.0050	1	ND	0.1
Endrin	EPA 505	0.000010	1	ND	0.002
Ethylene Dibromide (EDB)	EPA 551.1	0.000010	1	ND	0.00005
Glyphosate	EPA 547	0.0060	1	ND	0.7
Heptachlor	EPA 505	0.000010	1	ND	0.0004
Heptachlor Epoxide	EPA 505	0.000010	1	ND	0.0002
Hexachlorobenzene	EPA 525.2	0.000050	1	ND	0.001
Hexachlorocyclopentadiene	EPA 525.2	0.000050	1	ND	0.05
Lindane (gamma-BHC)	EPA 505	0.000010	1	ND	0.0002
Methiocarb	EPA 531.2	0.00050	1	ND	no std
Methomyl	EPA 531.2	0.00050	1	ND	no std
Methoxychlor	EPA 505	0.000050	1	ND	0.04
Metolachlor	EPA 525.2	0.000050	1	ND	no std
Metribuzin	EPA 525.2	0.000050	1	ND	no std
Oxamyl (Vydate)	EPA 531.2	0.00050	1	ND	0.2
Paraquat	EPA 549.2	0.0020	1	ND	no std
Pentachlorophenol	EPA 515.4	0.000040	1	ND	0.001
Picloram	EPA 515.4	0.00010	1	ND	0.5
Propachlor	EPA 525.2	0.000050	1	ND	no std
Simazine	EPA 525.2	0.000050	1	ND	0.004
Thiobencarb	EPA 525.2	0.00020	1	ND	no std
Total PCBs	EPA 505	0.00010	1	ND	0.0005
Toxaphene	EPA 505	0.00050	1	ND	0.003
GROUP V					
RADIOACTIVITY					
		Picocuries per Liter			
Gross Alpha	EPA 900.0	3.0	1	ND	15
Gross Beta	EPA 900.0	3.0	1	ND	50

SOQ=Standard of Quality per FDA or New York
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_NY
 Report: 743278

Report Date: 08/03/2018
 Date Received: 06/07/2018
 Sample No: 201806110172

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Radium 226	Ra-226 GA	1.0	1	ND	3
Radium 228	Ra-228 GA	1.0	1	ND	5
Uranium (mg/L)	EPA 200.8	0.0010	1	ND	0.03
GROUP VII					
Disinfection Byproducts					
		Milligrams per Liter			
Bromide	EPA 300.0	0.0050	1	0.017	no std
Chlorite	EPA 300.0	0.010	1	ND	1
D/DBP Haloacetic Acids (HAA5)	SM 6251B	0.0020	1	ND	0.06
GROUP VIII					
Residual Disinfectants					
		Milligrams per Liter			
Chloramines	SM 4500CL-G/HACH	0.10	1	ND	4
Chlorine Dioxide	SM 4500CLO2-D/HACH	0.24	1	ND	0.8
Total Chlorine Residual	SM 4500CL-G/HACH	0.10	1	ND	4

SOQ=Standard of Quality per FDA or New York
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Client: Private Spring Water LLC.
13240 Llagas Ave
San Martin, CA 95046

Report Date: 08/03/2018
Date Received: 06/07/2018
Sample No: 201806110171

Attention: Al Vincelette

Sample Id: CBC 18 151 2129 EXP MAY 31 20 SPRING WATER 500ML
Date Sampled: 6/11/2018

Investigation: Analysis per Title 21, Federal Code of Regulations 165.110 - California Limits

ANALYTICAL RESULTS

Parameter	Method	Reporting Limit	Result	SOQ
GROUP VIa				
BACTERIOLOGICAL				
		Colonies/100 mL		
E Coli Bacteria	SM 9223	1.0	<1	1
Total Coliform Bacteria	SM 9223	1.0	<1	2.2
GROUP VII				
Disinfection Byproducts				
		Milligrams per Liter		
Bromate	EPA 317	0.0010	ND	0.01
GROUP I				
PHYSICAL				
Apparent Color (ACU)	SM 2120B	3.0	ND ACU	15
Odor at 60 C (TON)	SM 2150B	1.0	ND TON	3
pH (Units)	4500HB/E 150	0.10	7.4	8.5
Total Dissolved Solid (TDS)	SM 2540C	10	100	500
Turbidity (NTU)	EPA 180.1	0.10	0.11 NTU	5
GROUP II				
CHEMICAL SUBSTANCE 1				
		Milligrams per Liter		
Aluminum	EPA 200.8	0.020	ND	0.2
Antimony	EPA 200.8	0.0010	ND	0.006
Arsenic	EPA 200.8	0.0010	ND	0.010
Barium	EPA 200.8	0.0020	0.029	2
Beryllium	EPA 200.8	0.0010	ND	0.004
Cadmium	EPA 200.8	0.00050	ND	0.005
Chloride	EPA 300.0	0.50	6.5	250
Chromium	EPA 200.8	0.0010	ND	0.1
Copper	EPA 200.8	0.0020	ND	1.0
Cyanide	SM 4500CN-F	0.025	ND	0.2
Fluoride	SM 4500F-C	0.050	ND	1.4
Iron	EPA 200.7	0.020	ND	0.3

SOQ=Standard of Quality per FDA or California
ND=Not detected at the specified limit
All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA
 Report: 743278

Report Date: 08/03/2018
 Date Received: 06/07/2018
 Sample No: 201806110172

Parameter	Method	Reporting Limit	Result	SOQ
Lead	EPA 200.8	0.00050	ND	0.005
Manganese	EPA 200.8	0.0020	ND	0.05
Mercury	EPA 245.1	0.00020	ND	0.002
Nickel	EPA 200.8	0.0050	ND	0.1
Nitrate-N	EPA 300.0	0.10	0.30	10
Nitrite-N	EPA 300.0	0.050	ND	1
Phenol	EPA 420.4	0.00050	ND	0.001
Selenium	EPA 200.8	0.0050	ND	0.05
Silver	EPA 200.8	0.00050	ND	0.1
Sulfate	EPA 300.0	0.50	5.1	250
Thallium	EPA 200.8	0.0010	ND	0.002
Total Nitrate + Nitrite	EPA 300.0	0.10	0.30	10
Zinc	EPA 200.8	0.020	ND	5.0
GROUP III				
CHEMICAL SUBSTANCE 2 (VOC)		Milligrams per Liter		
1,1,1-Trichloroethane	EPA 524.2	0.00050	ND	0.20
1,1,2-Trichloroethane	EPA 524.2	0.00050	ND	0.005
1,1-Dichloroethene	EPA 524.2	0.00050	ND	0.007
1,2,4-Trichlorobenzene	EPA 524.2	0.00050	ND	0.07
1,2-Dichloroethane	EPA 524.2	0.00050	ND	0.005
1,2-Dichloropropane	EPA 524.2	0.00050	ND	0.005
Benzene	EPA 524.2	0.00050	ND	0.005
Carbon Tetrachloride	EPA 524.2	0.00050	ND	0.005
Chlorobenzene	EPA 524.2	0.00050	ND	0.1
cis-1,2-Dichloroethylene	EPA 524.2	0.00050	ND	0.07
Dichloromethane (MeCl ₂)	EPA 524.2	0.00050	ND	0.005
Ethyl benzene	EPA 524.2	0.00050	ND	0.7
o-Dichlorobenzene (1,2-DCB)	EPA 524.2	0.00050	ND	0.6
p-Dichlorobenzene (1,4-DCB)	EPA 524.2	0.00050	ND	0.075
Styrene	EPA 524.2	0.00050	ND	0.1
Tetrachloroethylene (PCE)	EPA 524.2	0.00050	ND	0.005
Toluene	EPA 524.2	0.00050	ND	1
Total THM	EPA 524.2	0.00050	0.0023	0.010
Total xylenes	EPA 524.2	0.00050	ND	10
trans-1,2-Dichloroethylene	EPA 524.2	0.00050	ND	0.1
Trichloroethylene (TCE)	EPA 524.2	0.00050	ND	0.005
Vinyl chloride (VC)	EPA 524.2	0.00030	ND	0.002

SOQ=Standard of Quality per FDA or California
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA
 Report: 743278

Report Date: 08/03/2018
 Date Received: 06/07/2018
 Sample No: 201806110172

Parameter	Method	Reporting Limit	Result	SOQ
GROUP IV				
CHEMICAL SUBSTANCE 3 (NON VOC)		Milligrams per Liter		
2,3,7,8-TCDD (ug/L)	EPA 1613B	0.0000000050	ND	0.000030
2,4,5-TP (Silvex)	EPA 515.4	0.00020	ND	0.05
2,4-D	EPA 515.4	0.00010	ND	0.07
Alachlor (Alanex)	EPA 505	0.00010	ND	0.002
Atrazine	EPA 525.2	0.000050	ND	0.003
Benzo(a)pyrene	EPA 525.2	0.000020	ND	0.0002
Carbofuran	EPA 531.2	0.00050	ND	0.04
Chlordane	EPA 505	0.00010	ND	0.002
Dalapon	EPA 515.4	0.0010	ND	0.2
Di-(2-Ethylhexyl)adipate	EPA 525.2	0.00060	ND	0.4
Di(2-Ethylhexyl)phthalate	EPA 525.2	0.00060	ND	0.006
Dibromochloropropane (DBCP)	EPA 551.1	0.000010	ND	0.0002
Dinoseb	EPA 515.4	0.00020	ND	0.007
Diquat	EPA 549.2	0.00040	ND	0.02
Endothall	EPA 548.1	0.0050	ND	0.1
Endrin	EPA 505	0.000010	ND	0.002
Ethylene Dibromide (EDB)	EPA 551.1	0.000010	ND	0.00005
Glyphosate	EPA 547	0.0060	ND	0.7
Heptachlor	EPA 505	0.000010	ND	0.0004
Heptachlor Epoxide	EPA 505	0.000010	ND	0.0002
Hexachlorobenzene	EPA 525.2	0.000050	ND	0.001
Hexachlorocyclopentadiene	EPA 525.2	0.000050	ND	0.05
Lindane (gamma-BHC)	EPA 505	0.000010	ND	0.0002
Methoxychlor	EPA 505	0.000050	ND	0.04
Oxamyl (Vydate)	EPA 531.2	0.00050	ND	0.2
Pentachlorophenol	EPA 515.4	0.000040	ND	0.001
Picloram	EPA 515.4	0.00010	ND	0.5
Simazine	EPA 525.2	0.000050	ND	0.004
Total PCBs	EPA 505	0.00010	ND	0.0005
Toxaphene	EPA 505	0.00050	ND	0.003
GROUP V				
RADIOACTIVITY		Picocuries per Liter		
Gross Alpha	EPA 900.0	3.0	ND	15
Gross Beta	EPA 900.0	3.0	ND	50
Radium 226	Ra-226 GA	1.0	ND	3
Radium 228	Ra-228 GA	1.0	ND	5

SOQ=Standard of Quality per FDA or California
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA
 Report: 743278

Report Date: 08/03/2018
 Date Received: 06/07/2018
 Sample No: 201806110172

Parameter	Method	Reporting Limit	Result	SOQ
Uranium (mg/L)	EPA 200.8	0.0010	ND	0.03
GROUP VII Disinfection Byproducts		Milligrams per Liter		
Chlorite	EPA 300.0	0.010	ND	1
D/DBP Haloacetic Acids (HAA5)	SM 6251B	0.0020	ND	0.06
GROUP VIII Residual Disinfectants		Milligrams per Liter		
Chloramines	SM 4500CL-G/HACH	0.10	ND	4
Chlorine Dioxide	SM 4500CLO2-D/HACH	0.24	ND	0.8
Total Chlorine Residual	SM 4500CL-G/HACH	0.10	ND	4

SOQ=Standard of Quality per FDA or California
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Client: Private Spring Water LLC.
13240 Llagas Ave
San Martin, CA 95046

Report Date: 08/03/2018
Date Received: 06/07/2018
Sample No: 201806110171

Attention: Al Vincelette

Sample Id: CBC 18 151 2129 EXP MAY 31 20 SPRING WATER 500ML
Date Sampled: 6/11/2018

Investigation: Analysis per Title 21, Federal Code of Regulations 165.110 - New York Limits

ANALYTICAL RESULTS

Parameter	Method	Reporting Limit	Result	SOQ
GROUP VIa				
BACTERIOLOGICAL				
		Colonies/100 mL		
E Coli Bacteria	SM 9223	1.0	<1	1
Total Coliform Bacteria	SM 9223	1.0	<1	2.2
GROUP VII				
Disinfection Byproducts				
		Milligrams per Liter		
Bromate	EPA 317	0.0010	ND	0.01
GROUP I				
PHYSICAL				
Apparent Color (ACU)	SM 2120B	3.0	ND ACU	15
Odor at 60 C (TON)	SM 2150B	1.0	ND TON	3
pH (Units)	4500HB/E 150	0.10	7.4	8.5
Total Dissolved Solid (TDS)	SM 2540C	10	100	500
Turbidity (NTU)	EPA 180.1	0.10	0.11 NTU	5
GROUP II				
CHEMICAL SUBSTANCE 1				
		Milligrams per Liter		
Aluminum	EPA 200.8	0.020	ND	0.2
Antimony	EPA 200.8	0.0010	ND	0.006
Arsenic	EPA 200.8	0.0010	ND	0.010
Barium	EPA 200.8	0.0020	0.029	2
Beryllium	EPA 200.8	0.0010	ND	0.004
Cadmium	EPA 200.8	0.00050	ND	0.005
Chloride	EPA 300.0	0.50	6.5	250
Chromium	EPA 200.8	0.0010	ND	0.1
Copper	EPA 200.8	0.0020	ND	1.0
Cyanide	SM 4500CN-F	0.025	ND	0.2
Fluoride	SM 4500F-C	0.050	ND	1.4
Iron	EPA 200.7	0.020	ND	0.3

SOQ=Standard of Quality per FDA or New York
ND=Not detected at the specified limit
All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_NY
 Report: 743278

Report Date: 08/03/2018
 Date Received: 06/07/2018
 Sample No: 201806110172

Parameter	Method	Reporting Limit	Result	SOQ
Lead	EPA 200.8	0.00050	ND	0.005
Manganese	EPA 200.8	0.0020	ND	0.05
Mercury	EPA 245.1	0.00020	ND	0.002
Nickel	EPA 200.8	0.0050	ND	0.1
Nitrate-N	EPA 300.0	0.10	0.30	10
Nitrite-N	EPA 300.0	0.050	ND	1
Phenol	EPA 420.4	0.00050	ND	0.001
Selenium	EPA 200.8	0.0050	ND	0.05
Silver	EPA 200.8	0.00050	ND	0.1
Sulfate	EPA 300.0	0.50	5.1	250
Thallium	EPA 200.8	0.0010	ND	0.002
Total Nitrate + Nitrite	EPA 300.0	0.10	0.30	10
Zinc	EPA 200.8	0.020	ND	5.0
GROUP III				
CHEMICAL SUBSTANCE 2 (VOC)		Milligrams per Liter		
1,1,1-Trichloroethane	EPA 524.2	0.00050	ND	0.20
1,1,2-Trichloroethane	EPA 524.2	0.00050	ND	0.005
1,1-Dichloroethene	EPA 524.2	0.00050	ND	0.007
1,2,4-Trichlorobenzene	EPA 524.2	0.00050	ND	0.07
1,2-Dichloroethane	EPA 524.2	0.00050	ND	0.005
1,2-Dichloropropane	EPA 524.2	0.00050	ND	0.005
Benzene	EPA 524.2	0.00050	ND	0.005
Carbon Tetrachloride	EPA 524.2	0.00050	ND	0.005
Chlorobenzene	EPA 524.2	0.00050	ND	0.1
cis-1,2-Dichloroethylene	EPA 524.2	0.00050	ND	0.07
Dichloromethane (MeCl ₂)	EPA 524.2	0.00050	ND	0.005
Ethyl benzene	EPA 524.2	0.00050	ND	0.7
o-Dichlorobenzene (1,2-DCB)	EPA 524.2	0.00050	ND	0.6
p-Dichlorobenzene (1,4-DCB)	EPA 524.2	0.00050	ND	0.075
Styrene	EPA 524.2	0.00050	ND	0.1
Tetrachloroethylene (PCE)	EPA 524.2	0.00050	ND	0.005
Toluene	EPA 524.2	0.00050	ND	1
Total THM	EPA 524.2	0.00050	0.0023	0.080
Total xylenes	EPA 524.2	0.00050	ND	10
trans-1,2-Dichloroethylene	EPA 524.2	0.00050	ND	0.1
Trichloroethylene (TCE)	EPA 524.2	0.00050	ND	0.005
Vinyl chloride (VC)	EPA 524.2	0.00030	ND	0.002

SOQ=Standard of Quality per FDA or New York
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_NY
 Report: 743278

Report Date: 08/03/2018
 Date Received: 06/07/2018
 Sample No: 201806110172

Parameter	Method	Reporting Limit	Result	SOQ
GROUP IV				
CHEMICAL SUBSTANCE 3 (NON VOC)		Milligrams per Liter		
2,3,7,8-TCDD (ug/L)	EPA 1613B	0.0000000050	ND	0.000030
2,4,5-TP (Silvex)	EPA 515.4	0.00020	ND	0.05
2,4-D	EPA 515.4	0.00010	ND	0.07
Alachlor (Alanex)	EPA 505	0.00010	ND	0.002
Atrazine	EPA 525.2	0.000050	ND	0.003
Benzo(a)pyrene	EPA 525.2	0.000020	ND	0.0002
Carbofuran	EPA 531.2	0.00050	ND	0.04
Chlordane	EPA 505	0.00010	ND	0.002
Dalapon	EPA 515.4	0.0010	ND	0.2
Di-(2-Ethylhexyl)adipate	EPA 525.2	0.00060	ND	0.4
Di(2-Ethylhexyl)phthalate	EPA 525.2	0.00060	ND	0.006
Dibromochloropropane (DBCP)	EPA 551.1	0.000010	ND	0.0002
Dinoseb	EPA 515.4	0.00020	ND	0.007
Diquat	EPA 549.2	0.00040	ND	0.02
Endothall	EPA 548.1	0.0050	ND	0.1
Endrin	EPA 505	0.000010	ND	0.002
Ethylene Dibromide (EDB)	EPA 551.1	0.000010	ND	0.00005
Glyphosate	EPA 547	0.0060	ND	0.7
Heptachlor	EPA 505	0.000010	ND	0.0004
Heptachlor Epoxide	EPA 505	0.000010	ND	0.0002
Hexachlorobenzene	EPA 525.2	0.000050	ND	0.001
Hexachlorocyclopentadiene	EPA 525.2	0.000050	ND	0.05
Lindane (gamma-BHC)	EPA 505	0.000010	ND	0.0002
Methoxychlor	EPA 505	0.000050	ND	0.04
Oxamyl (Vydate)	EPA 531.2	0.00050	ND	0.2
Pentachlorophenol	EPA 515.4	0.000040	ND	0.001
Picloram	EPA 515.4	0.00010	ND	0.5
Simazine	EPA 525.2	0.000050	ND	0.004
Total PCBs	EPA 505	0.00010	ND	0.0005
Toxaphene	EPA 505	0.00050	ND	0.003
GROUP V				
RADIOACTIVITY		Picocuries per Liter		
Gross Alpha	EPA 900.0	3.0	ND	15
Gross Beta	EPA 900.0	3.0	ND	50
Radium 226	Ra-226 GA	1.0	ND	3
Radium 228	Ra-228 GA	1.0	ND	5

SOQ=Standard of Quality per FDA or New York
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_NY
 Report: 743278

Report Date: 08/03/2018
 Date Received: 06/07/2018
 Sample No: 201806110172

Parameter	Method	Reporting Limit	Result	SOQ
Uranium (mg/L)	EPA 200.8	0.0010	ND	0.03
GROUP VII Disinfection Byproducts		Milligrams per Liter		
Chlorite	EPA 300.0	0.010	ND	1
D/DBP Haloacetic Acids (HAA5)	SM 6251B	0.0020	ND	0.06
GROUP VIII Residual Disinfectants		Milligrams per Liter		
Chloramines	SM 4500CL-G/HACH	0.10	ND	4
Chlorine Dioxide	SM 4500CLO2-D/HACH	0.24	ND	0.8
Total Chlorine Residual	SM 4500CL-G/HACH	0.10	ND	4

SOQ=Standard of Quality per FDA or New York
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Report: 743278
Project: ANNUAL
Group: annual-50 state

Private Spring Water LLC.

Al Vincelette
13240 Llagas Ave
San Martin, CA 95046

Flags Legend:

LE - MRL Check recovery was above laboratory acceptance limits.

LK - The associated blank spike recovery was above method acceptance limits. This target analyte was not detected in the sample.

Result Comments**Odor at 60 C (TON)**

201806110172: opened 06/15/18 @0936 BW

Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Report: 743278
 Project: ANNUAL
 Group: annual-50 state

Private Spring Water LLC.
 Al Vincelette
 13240 Llagas Ave
 San Martin, CA 95046

Samples Received on:
 06/07/2018 1709

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
CBC 18 151 2129 EXP MAY 31 20 SPRING WATER 500ML (201806110171)						Sampled on 06/11/2018 1234			
SM 9215B - Heterotrophic Plate Count									
06/14/18	06/17/18 15:15	1098532	1098933	(SM 9215B)	Heterotrophic Plate Count	<1	CFU/ml	1	1
SM 9610D - Yeast and Mold									
06/13/18	06/18/18 18:20	1098070	1099232	(SM 9610D)	Mold	<1	CFU/100ml	1	1
06/13/18	06/18/18 18:20	1098070	1099232	(SM 9610D)	Yeast	<1	CFU/100ml	1	1
SM 9223B - Quantitray Coliforms 18 Hour									
06/13/18	06/14/18 15:07	1098187	1098363	(SM 9223B)	18 Hour E. Coli Confirmed (Large Wells)	ND	PW	1	1
06/13/18	06/14/18 15:07	1098187	1098363	(SM 9223B)	18 Hour E. Coli Confirmed (Small Wells)	ND	PW	1	1
06/13/18	06/14/18 15:07	1098187	1098363	(SM 9223B)	18 Hour Total Coliform Confm (Large Wells)	ND	PW	1	1
06/13/18	06/14/18 15:07	1098187	1098363	(SM 9223B)	18 Hour Total Coliform Confm (Small Wells)	ND	PW	1	1
06/13/18	06/14/18 15:07	1098187	1098363	(SM 9223B)	E. Coli Bacteria (P/A)	A	PA		1
06/13/18	06/14/18 15:07	1098187	1098363	(SM 9223B)	Total Coliform Bacteria (P/A)	A	PA		1
06/13/18	06/14/18 15:07	1098187	1098363	(SM 9223B)	E. Coli Bacteria	<1	MPN/100 mL	1	1
06/13/18	06/14/18 15:07	1098187	1098363	(SM 9223B)	Total Coliform Bacteria	<1	MPN/100 mL	1	1
EPA 317 - Bromate by UV/VIS 317									
	06/14/18 13:49		1098473	(EPA 317)	Bromate by UV/VIS	ND	ug/L	1	1
CBC 18 151 2129 EXP MAY 31 20 SPRING WATER 500ML (201806110172)						Sampled on 06/11/2018 1234			
EPA 200.8 - ICPMS Metals									
06/12/18	06/12/18 18:48	1097092	1097658	(EPA 200.8)	Aluminum Total ICAP/MS	ND	ug/L	20	1
06/12/18	06/12/18 18:48	1097092	1097658	(EPA 200.8)	Antimony Total ICAP/MS	ND	ug/L	1	1
06/12/18	06/12/18 18:48	1097092	1097658	(EPA 200.8)	Arsenic Total ICAP/MS	ND	ug/L	1	1
06/12/18	06/12/18 18:48	1097092	1097658	(EPA 200.8)	Barium Total ICAP/MS	29	ug/L	2	1
06/12/18	06/12/18 18:48	1097092	1097658	(EPA 200.8)	Beryllium Total ICAP/MS	ND	ug/L	1	1
06/12/18	06/12/18 18:48	1097092	1097658	(EPA 200.8)	Cadmium Total ICAP/MS	ND	ug/L	0.5	1
06/12/18	06/12/18 18:48	1097092	1097658	(EPA 200.8)	Chromium Total ICAP/MS	ND	ug/L	1	1
06/12/18	06/12/18 18:48	1097092	1097658	(EPA 200.8)	Copper Total ICAP/MS	ND	ug/L	2	1
06/12/18	06/12/18 18:48	1097092	1097658	(EPA 200.8)	Lead Total ICAP/MS	ND	ug/L	0.5	1
06/12/18	06/12/18 18:48	1097092	1097658	(EPA 200.8)	Manganese Total ICAP/MS	ND	ug/L	2	1
06/12/18	06/12/18 18:48	1097092	1097658	(EPA 200.8)	Nickel Total ICAP/MS	ND	ug/L	5	1
06/12/18	06/12/18 18:48	1097092	1097658	(EPA 200.8)	Selenium Total ICAP/MS	ND	ug/L	5	1
06/12/18	06/28/18 21:08	1097092	1101953	(EPA 200.8)	Silver Total ICAP/MS	ND	ug/L	0.5	1
06/12/18	06/12/18 18:48	1097092	1097658	(EPA 200.8)	Thallium Total ICAP/MS	ND	ug/L	1	1
06/12/18	06/12/18 18:48	1097092	1097658	(EPA 200.8)	Uranium ICAP/MS	ND	ug/L	1	1

Rounding on totals after summation.
 (c) - indicates calculated results

Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Report: 743278
 Project: ANNUAL
 Group: annual-50 state

Private Spring Water LLC.
 Al Vincelette
 13240 Llagas Ave
 San Martin, CA 95046

Samples Received on:
 06/07/2018 1709

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
06/12/18	06/12/18 18:48	1097092	1097658	(EPA 200.8)	Zinc Total ICAP/MS	ND	ug/L	20	1
EPA 200.7 - ICP Metals									
06/12/18	06/12/18 12:44	1097092	1097407	(EPA 200.7)	Calcium Total ICAP	12	mg/L	1	1
06/12/18	06/12/18 12:44	1097092	1097407	(EPA 200.7)	Iron Total ICAP	ND	mg/L	0.02	1
06/12/18	06/12/18 12:44	1097092	1097407	(EPA 200.7)	Magnesium Total ICAP	3.6	mg/L	0.1	1
06/12/18	06/12/18 12:44	1097092	1097407	(EPA 200.7)	Potassium Total ICAP	3.0	mg/L	1	1
06/12/18	06/12/18 12:44	1097092	1097407	(EPA 200.7)	Sodium Total ICAP	10	mg/L	1	1
EPA 245.1 - Mercury Total									
06/13/18	06/13/18 23:09	1097671	1098748	(EPA 245.1)	Mercury	ND	ug/L	0.2	1
EPA 100.2 - Asbestos by TEM - >10 microns									
06/13/18	06/20/18 00:00	1097982	1100011	(EPA 100.2)	Asbestos by TEM - >10 microns	ND	MFL	0.2	1
SM2330B - Hydroxide as OH, Calculated									
06/18/18	14:41			(SM2330B)	Hydroxide as OH Calculated	ND	mg/L	2	1
SM4500-CO2-D - Carbon Dioxide,Free(25C)-Calc.									
06/18/18	14:41			(SM4500-CO2-D)	Carbon Dioxide,Free(25C)-Calc.	ND	mg/L	2	1
SM 2330B - Langelier Index - 25 degree									
06/18/18	14:41			(SM 2330B)	Langelier Index - 25 degree	-1.2	None		1
SM2330B - Carbonate as CO3, Calculated									
06/18/18	22:33			(SM2330B)	Carbonate as CO3, Calculated	ND	mg/L	2	1
SM 2340B - Total Hardness as CaCO3 by ICP									
06/12/18	15:14			(SM 2340B)	Total Hardness as CaCO3 by ICP (calc)	45	mg/L	3	1
SM 1030E - Anion Sum - Calculated									
06/18/18	14:20			(SM 1030E)	Anion Sum - Calculated	1.3	meq/L	0.001	1
SM 1030E - Cation Sum - Calculated									
06/12/18	15:14			(SM 1030E)	Cation Sum - Calculated	1.4	meq/L	0.001	1
SM 2330B - pH of CaCO3 saturation(25C)									
06/18/18	22:33			(SM 2330B)	pH of CaCO3 saturation(25C)	8.6	Units	0.1	1
SM2330B - Bicarb.Alkalinity as HCO3,calc									
06/18/18	14:41			(SM2330B)	Bicarb.Alkalinity as HCO3calc	63	mg/L	2	1
EPA 505 - Organochlorine Pesticides/PCBs									
06/15/18	06/15/18 18:23	1098691	1099502	(EPA 505)	Alachlor (Alanex)	ND	ug/L	0.1	1
06/15/18	06/15/18 18:23	1098691	1099502	(EPA 505)	Aldrin	ND	ug/L	0.01	1
06/15/18	06/15/18 18:23	1098691	1099502	(EPA 505)	Chlordane	ND	ug/L	0.1	1
06/15/18	06/15/18 18:23	1098691	1099502	(EPA 505)	Dieldrin	ND	ug/L	0.01	1
06/15/18	06/15/18 18:23	1098691	1099502	(EPA 505)	Endrin	ND	ug/L	0.01	1
06/15/18	06/15/18 18:23	1098691	1099502	(EPA 505)	Heptachlor	ND	ug/L	0.01	1
06/15/18	06/15/18 18:23	1098691	1099502	(EPA 505)	Heptachlor Epoxide	ND	ug/L	0.01	1
06/15/18	06/15/18 18:23	1098691	1099502	(EPA 505)	Lindane (gamma-BHC)	ND	ug/L	0.01	1

Rounding on totals after summation.
 (c) - indicates calculated results

Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Report: 743278
 Project: ANNUAL
 Group: annual-50 state

Private Spring Water LLC.
 Al Vincelette
 13240 Llagas Ave
 San Martin, CA 95046

Samples Received on:
 06/07/2018 1709

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
06/15/18	06/15/18 18:23	1098691	1099502	(EPA 505)	Methoxychlor	ND	ug/L	0.05	1
06/15/18	06/15/18 18:23	1098691	1099502	(EPA 505)	PCB 1016 Aroclor	ND	ug/L	0.08	1
06/15/18	06/15/18 18:23	1098691	1099502	(EPA 505)	PCB 1221 Aroclor	ND	ug/L	0.1	1
06/15/18	06/15/18 18:23	1098691	1099502	(EPA 505)	PCB 1232 Aroclor	ND	ug/L	0.1	1
06/15/18	06/15/18 18:23	1098691	1099502	(EPA 505)	PCB 1242 Aroclor	ND	ug/L	0.1	1
06/15/18	06/15/18 18:23	1098691	1099502	(EPA 505)	PCB 1248 Aroclor	ND	ug/L	0.1	1
06/15/18	06/15/18 18:23	1098691	1099502	(EPA 505)	PCB 1254 Aroclor	ND	ug/L	0.1	1
06/15/18	06/15/18 18:23	1098691	1099502	(EPA 505)	PCB 1260 Aroclor	ND	ug/L	0.1	1
06/15/18	06/15/18 18:23	1098691	1099502	(EPA 505)	Total PCBs	ND	ug/L	0.1	1
06/15/18	06/15/18 18:23	1098691	1099502	(EPA 505)	Toxaphene	ND	ug/L	0.5	1
EPA 515.4 - Chlorophenoxy Herbicides									
06/22/18	06/27/18 01:49	1100584	1100635	(EPA 515.4)	2,4,5-T	ND	ug/L	0.2	1
06/22/18	06/27/18 01:49	1100584	1100635	(EPA 515.4)	2,4,5-TP (Silvex)	ND	ug/L	0.2	1
06/22/18	06/27/18 01:49	1100584	1100635	(EPA 515.4)	2,4-D	ND	ug/L	0.1	1
06/22/18	06/27/18 01:49	1100584	1100635	(EPA 515.4)	2,4-DB	ND	ug/L	2	1
06/22/18	06/27/18 01:49	1100584	1100635	(EPA 515.4)	3,5-Dichlorobenzoic acid	ND	ug/L	0.5	1
06/22/18	06/27/18 01:49	1100584	1100635	(EPA 515.4)	Acifluorfen	ND	ug/L	0.2	1
06/22/18	06/27/18 01:49	1100584	1100635	(EPA 515.4)	Bentazon	ND	ug/L	0.5	1
06/22/18	06/27/18 01:49	1100584	1100635	(EPA 515.4)	Dalapon	ND	ug/L	1	1
06/22/18	06/27/18 01:49	1100584	1100635	(EPA 515.4)	Dicamba	ND	ug/L	0.1	1
06/22/18	06/27/18 01:49	1100584	1100635	(EPA 515.4)	Dichlorprop	ND	ug/L	0.5	1
06/22/18	06/27/18 01:49	1100584	1100635	(EPA 515.4)	Dinoseb	ND	ug/L	0.2	1
06/22/18	06/27/18 01:49	1100584	1100635	(EPA 515.4)	Pentachlorophenol	ND	ug/L	0.04	1
06/22/18	06/27/18 01:49	1100584	1100635	(EPA 515.4)	Picloram	ND	ug/L	0.1	1
06/22/18	06/27/18 01:49	1100584	1100635	(EPA 515.4)	Tot DCPA Mono&Diacid Degradate	ND	ug/L	0.1	1
06/22/18	06/27/18 01:49	1100584	1100635	(EPA 515.4)	2,4-Dichlorophenyl acetic acid	107	%		1
06/22/18	06/27/18 01:49	1100584	1100635	(EPA 515.4)	4,4-Dibromooctafluorobiphenyl	82	%		1
SM 6251B - Haloacetic Acids									
06/15/18	06/16/18 02:45	1098477	1098697	(SM 6251B)	Bromochloroacetic acid	ND	ug/L	1	1
06/15/18	06/16/18 02:45	1098477	1098697	(SM 6251B)	Dibromoacetic acid	ND	ug/L	1	1
06/15/18	06/16/18 02:45	1098477	1098697	(SM 6251B)	Dichloroacetic acid	ND	ug/L	1	1
06/15/18	06/16/18 02:45	1098477	1098697	(SM 6251B)	Monobromoacetic acid	ND	ug/L	1	1
06/15/18	06/16/18 02:45	1098477	1098697	(SM 6251B)	Monochloroacetic acid	ND	ug/L	2	1
06/15/18	06/16/18 02:45	1098477	1098697	(SM 6251B)	Total Haloacetic Acids (HAA5)	ND	ug/L	2	1
06/15/18	06/16/18 02:45	1098477	1098697	(SM 6251B)	Trichloroacetic acid	ND	ug/L	1	1
06/15/18	06/16/18 02:45	1098477	1098697	(SM 6251B)	1,2,3-Trichloropropane	94	%		1
06/15/18	06/16/18 02:45	1098477	1098697	(SM 6251B)	2,3-Dibromopropionic acid	92	%		1
EPA 551.1 - EDB/DBCP/HAN by EPA 551.1									

Rounding on totals after summation.
 (c) - indicates calculated results

Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Report: 743278
 Project: ANNUAL
 Group: annual-50 state

Private Spring Water LLC.
 Al Vincelette
 13240 Llagas Ave
 San Martin, CA 95046

Samples Received on:
 06/07/2018 1709

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
06/15/18	06/19/18 12:07	1098575	1099306	(EPA 551.1)	Dibromochloropropane (DBCP)	ND	ug/L	0.01	1
06/15/18	06/19/18 12:07	1098575	1099306	(EPA 551.1)	Ethylene Dibromide (EDB)	ND	ug/L	0.01	1
06/15/18	06/19/18 12:07	1098575	1099306	(EPA 551.1)	1,2-Dibromopropane	102	%		1
EPA 525.2 - Semivolatiles by GCMS									
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	2,4-Dinitrotoluene	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	2,6-Dinitrotoluene	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	4,4-DDD	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	4,4-DDE	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	4,4-DDT	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Acenaphthene	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Acenaphthylene	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Acetochlor	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Alachlor	ND	ug/L	0.05	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Aldrin	ND	ug/L	0.05	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Alpha-BHC	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	alpha-Chlordane	ND	ug/L	0.05	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Anthracene	ND	ug/L	0.02	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Atrazine	ND	ug/L	0.05	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Benz(a)Anthracene	ND	ug/L	0.05	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Benzo(a)pyrene	ND	ug/L	0.02	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Benzo(b)Fluoranthene	ND	ug/L	0.02	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Benzo(g,h,i)Perylene	ND	ug/L	0.05	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Benzo(k)Fluoranthene	ND	ug/L	0.02	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Beta-BHC	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Bromacil	ND	ug/L	0.2	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Butachlor	ND	ug/L	0.05	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Butylbenzylphthalate	ND (LE)	ug/L	0.5	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Caffeine by method 525mod	ND	ug/L	0.05	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Chlorobenzilate	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Chloroneb	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Chlorothalonil(Draconil,Bravo)	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Chlorpyrifos (Dursban)	ND	ug/L	0.05	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Chrysene	ND	ug/L	0.02	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Delta-BHC	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Di-(2-Ethylhexyl)adipate	ND	ug/L	0.6	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Di(2-Ethylhexyl)phthalate	ND	ug/L	0.6	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Diazinon (Qualitative)	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Dibenz(a,h)Anthracene	ND (LE)	ug/L	0.05	1

Rounding on totals after summation.
 (c) - indicates calculated results

Tel: (626) 386-1100
 Fax: (626) 988-3757
 1 800 566 LABS (1 800 566 5227)

Report: 743278
 Project: ANNUAL
 Group: annual-50 state

Private Spring Water LLC.
 Al Vincelette
 13240 Llagas Ave
 San Martin, CA 95046

Samples Received on:
 06/07/2018 1709

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Dichlorvos (DDVP)	ND	ug/L	0.05	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Dieldrin	ND	ug/L	0.2	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Diethylphthalate	ND	ug/L	0.5	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Dimethoate	ND (LK)	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Dimethylphthalate	ND	ug/L	0.5	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Di-n-Butylphthalate	ND	ug/L	1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Di-N-octylphthalate	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Endosulfan I (Alpha)	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Endosulfan II (Beta)	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Endosulfan Sulfate	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Endrin	ND	ug/L	0.2	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Endrin Aldehyde	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	EPTC	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Fluoranthene	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Fluorene	ND	ug/L	0.05	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	gamma-Chlordane	ND	ug/L	0.05	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Heptachlor	ND	ug/L	0.04	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Heptachlor Epoxide (isomer B)	ND	ug/L	0.05	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Hexachlorobenzene	ND	ug/L	0.05	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Hexachlorocyclopentadiene	ND	ug/L	0.05	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Indeno(1,2,3,c,d)Pyrene	ND (LE)	ug/L	0.05	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Isophorone	ND	ug/L	0.5	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Lindane	ND	ug/L	0.04	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Malathion	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Methoxychlor	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Metolachlor	ND	ug/L	0.05	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Metribuzin	ND	ug/L	0.05	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Molinate	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Naphthalene	ND	ug/L	0.3	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Parathion	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Pendimethalin	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Pentachlorophenol	ND	ug/L	1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Permethrin (mixed isomers)	ND (LE)	ug/L	0.2	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Phenanthrene	ND	ug/L	0.04	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Propachlor	ND	ug/L	0.05	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Pyrene	ND	ug/L	0.05	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Simazine	ND	ug/L	0.05	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Terbacil	ND (LE)	ug/L	0.1	1

Rounding on totals after summation.
 (c) - indicates calculated results

Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Report: 743278
 Project: ANNUAL
 Group: annual-50 state

Private Spring Water LLC.
 Al Vincelette
 13240 Llagas Ave
 San Martin, CA 95046

Samples Received on:
 06/07/2018 1709

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Terbutylazine	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Thiobencarb (ELAP)	ND	ug/L	0.2	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	trans-Nonachlor	ND	ug/L	0.05	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Trifluralin	ND	ug/L	0.1	1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	1,3-Dimethyl-2-nitrobenzene	111	%		1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Acenaphthene-d10	76	%		1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Chrysene-d12	95	%		1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Perylene-d12	87	%		1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Phenanthrene-d10	98	%		1
06/14/18	06/22/18 20:36	1098027	1100991	(EPA 525.2)	Triphenylphosphate	119	%		1
EPA 548.1 - Endothall									
06/14/18	06/18/18 10:39	1098397	1099145	(EPA 548.1)	Endothall	ND	ug/L	5	1
EPA 1613B - 2,3,7,8-TCDD_Dioxin									
06/14/18	06/20/18 03:01	1098300	1099935	(EPA 1613B)	2,3,7,8-TCDD	ND	pg/L	5	1
06/14/18	06/20/18 03:01	1098300	1099935	(EPA 1613B)	C12-2,3,7,8-TCDD	50	%		1
EPA 547 - Glyphosate									
	06/15/18 4:47		1098481	(EPA 547)	Glyphosate	ND	ug/L	6	1
EPA 531.2 - Aldicarb									
	06/14/18 02:02		1097991	(EPA 531.2)	3-Hydroxycarbofuran	ND	ug/L	0.5	1
	06/14/18 02:02		1097991	(EPA 531.2)	Aldicarb (Temik)	ND	ug/L	0.5	1
	06/14/18 02:02		1097991	(EPA 531.2)	Aldicarb sulfone	ND	ug/L	0.5	1
	06/14/18 02:02		1097991	(EPA 531.2)	Aldicarb sulfoxide	ND	ug/L	0.5	1
	06/14/18 02:02		1097991	(EPA 531.2)	Baygon	ND	ug/L	0.5	1
	06/14/18 02:02		1097991	(EPA 531.2)	Carbaryl	ND	ug/L	0.5	1
	06/14/18 02:02		1097991	(EPA 531.2)	Carbofuran (Furadan)	ND	ug/L	0.5	1
	06/14/18 02:02		1097991	(EPA 531.2)	Methiocarb	ND	ug/L	0.5	1
	06/14/18 02:02		1097991	(EPA 531.2)	Methomyl	ND	ug/L	0.5	1
	06/14/18 02:02		1097991	(EPA 531.2)	Oxamyl (Vydate)	ND	ug/L	0.5	1
	06/14/18 02:02		1097991	(EPA 531.2)	4-Bromo-3,5-dimethylphenyl-N-methylc arbamate	95	%		1
EPA 549.2 - Diquat and Paraquat									
06/13/18	06/13/18 21:58	1097748	1098019	(EPA 549.2)	Diquat	ND	ug/L	0.4	1
06/13/18	06/13/18 21:58	1097748	1098019	(EPA 549.2)	Paraquat	ND	ug/L	2	1
EPA 300.0 - Nitrate, Nitrite by EPA 300.0									
	06/13/18 16:44		1097964	(EPA 300.0)	Nitrate as Nitrogen by IC	0.30	mg/L	0.1	1
	06/13/18 16:44		1097964	(EPA 300.0)	Nitrate as NO3 (calc)	1.3	mg/L	0.44	1
	06/13/18 16:44		1097964	(EPA 300.0)	Nitrite Nitrogen by IC	ND	mg/L	0.05	1
	06/13/18 16:44		1097964	(EPA 300.0)	Total Nitrate, Nitrite-N, CALC	0.30	mg/L	0.1	1
EPA 300.0 - Chlorite by 300.0									

Rounding on totals after summation.
 (c) - indicates calculated results

Tel: (626) 386-1100
 Fax: (626) 988-3757
 1 800 566 LABS (1 800 566 5227)

Report: 743278
 Project: ANNUAL
 Group: annual-50 state

Private Spring Water LLC.
 Al Vincelette
 13240 Llagas Ave
 San Martin, CA 95046

Samples Received on:
 06/07/2018 1709

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
	06/14/18 02:16		1098218	(EPA 300.0)	Chlorite by IC	ND	mg/L	0.01	1
EPA 300.0 - Disinfection ByProducts by 300.0									
	06/14/18 02:16		1098223	(EPA 300.0)	Bromide	17	ug/L	5	1
EPA 300.0 - Chloride, Sulfate by EPA 300.0									
	06/13/18 16:44		1097965	(EPA 300.0)	Chloride	6.5	mg/L	0.5	1
	06/13/18 16:44		1097965	(EPA 300.0)	Sulfate	5.1	mg/L	0.5	1
EPA 331.0 - Perchlorate by EPA 331.0									
	06/13/18 1:17		1097760	(EPA 331.0)	Perchlorate	ND	ug/L	0.5	1
EPA 900.0 - Gross Alpha/Beta Radiation									
06/19/18	06/23/18 12:28	1099275	1100703	(EPA 900.0)	Alpha, Gross	ND	pCi/L	3	1
06/19/18	06/23/18 12:28	1099275	1100703	(EPA 900.0)	Alpha, Min Detectable Activity	1.9	pCi/L		1
06/19/18	06/23/18 12:28	1099275	1100703	(EPA 900.0)	Alpha, Two Sigma Error	0.42	pCi/L		1
06/19/18	06/23/18 12:28	1099275	1100703	(EPA 900.0)	Beta, Gross	ND	pCi/L	3	1
06/19/18	06/23/18 12:28	1099275	1100703	(EPA 900.0)	Beta, Min Detectable Activity	2.0	pCi/L		1
06/19/18	06/23/18 12:28	1099275	1100703	(EPA 900.0)	Beta, Two Sigma Error	0.61	pCi/L		1
06/19/18	06/23/18 12:28	1099275	1100703	(EPA 900.0)	Gross Alpha + adjusted error	ND	pCi/L	3	1
Ra-226 GA - Radium 226									
06/14/18	07/02/18 08:20	1097908	1103806	(Ra-226 GA)	Radium 226	ND	pCi/L	1	1
06/14/18	07/02/18 08:20	1097908	1103806	(Ra-226 GA)	Radium 226 Min Detect Activity	0.39	pCi/L		1
06/14/18	07/02/18 08:20	1097908	1103806	(Ra-226 GA)	Radium 226 Two Sigma Error	ND	pCi/L	1	1
RA-228 GA - Radium 228									
06/14/18	07/02/18 08:20	1097923	1103811	(RA-228 GA)	Radium 228	ND	pCi/L	1	1
06/14/18	07/02/18 08:20	1097923	1103811	(RA-228 GA)	Radium 228 Min Detect Activity	0.90	pCi/L		1
06/14/18	07/02/18 08:20	1097923	1103811	(RA-228 GA)	Radium 228 Two Sigma Error	ND	pCi/L	1	1
EPA 420.4 - Phenolic Compounds-low level									
	06/20/18 17:07		1099480	(EPA 420.4)	Phenolic Compounds-low level	ND	ug/L	1	2
EPA 524.2 - Volatile Organics by GCMS									
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	1,1,1,2-Tetrachloroethane	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	1,1,1-Trichloroethane	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	1,1,2,2-Tetrachloroethane	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	1,1,2-Trichloroethane	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	1,1-Dichloroethane	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	1,1-Dichloroethylene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	1,1-Dichloropropene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	1,2,3-Trichlorobenzene	ND (LE)	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	1,2,3-Trichloropropane	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	1,2,4-Trichlorobenzene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	1,2,4-Trimethylbenzene	ND	ug/L	0.5	1

Rounding on totals after summation.
 (c) - indicates calculated results

Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Report: 743278
 Project: ANNUAL
 Group: annual-50 state

Private Spring Water LLC.
 Al Vincelette
 13240 Llagas Ave
 San Martin, CA 95046

Samples Received on:
 06/07/2018 1709

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	1,2-Dichloroethane	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	1,2-Dichloropropane	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	1,3,5-Trimethylbenzene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	1,3-Dichloropropane	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	2,2-Dichloropropane	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	2-Butanone (MEK)	ND	ug/L	5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	4-Methyl-2-Pentanone (MIBK)	ND	ug/L	5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Benzene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Bromobenzene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Bromochloromethane	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Bromodichloromethane	0.91	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Bromoethane	ND (LE)	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Bromoform	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Bromomethane (Methyl Bromide)	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Carbon disulfide	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Carbon Tetrachloride	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Chlorobenzene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Chlorodibromomethane	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Chloroethane	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Chloroform (Trichloromethane)	1.4	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Chloromethane(Methyl Chloride)	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	cis-1,2-Dichloroethylene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	cis-1,3-Dichloropropene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Dibromomethane	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Dichlorodifluoromethane	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Dichloromethane	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Di-isopropyl ether	ND	ug/L	3	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Ethyl benzene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Hexachlorobutadiene	ND (LE)	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Isopropylbenzene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	m,p-Xylenes	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	m-Dichlorobenzene (1,3-DCB)	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Methyl Tert-butyl ether (MTBE)	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Naphthalene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	n-Butylbenzene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	n-Propylbenzene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	o-Chlorotoluene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	o-Dichlorobenzene (1,2-DCB)	ND	ug/L	0.5	1

Rounding on totals after summation.
 (c) - indicates calculated results

Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Report: 743278
 Project: ANNUAL
 Group: annual-50 state

Private Spring Water LLC.
 Al Vincelette
 13240 Llagas Ave
 San Martin, CA 95046

Samples Received on:
 06/07/2018 1709

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	o-Xylene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	p-Chlorotoluene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	p-Dichlorobenzene (1,4-DCB)	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	p-Isopropyltoluene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	sec-Butylbenzene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Styrene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	tert-amyl Methyl Ether	ND	ug/L	3	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	tert-Butyl Ethyl Ether	ND	ug/L	3	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	tert-Butylbenzene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Tetrachloroethylene (PCE)	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Toluene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Total 1,3-Dichloropropene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Total THM	2.3	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Total xylenes	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	trans-1,2-Dichloroethylene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	trans-1,3-Dichloropropene	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Trichloroethylene (TCE)	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Trichlorofluoromethane	ND	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Trichlorotrifluoroethane(Freon 113)	ND (LK)	ug/L	0.5	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Vinyl chloride (VC)	ND	ug/L	0.3	1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	1,2-Dichloroethane-d4	116	%		1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	4-Bromofluorobenzene	103	%		1
07/10/18	07/10/18 18:43	1104029	1104031	(EPA 524.2)	Toluene-d8	100	%		1
SM4500CN-F - Cyanide									
	06/12/18 12:16		1097274	(SM4500CN-F)	Cyanide	ND	mg/L	0.025	1
SM 2150B - Odor at 60 C (TON)									
	06/15/18 10:06		1098507	(SM 2150B)	Odor at 60 C (TON)	ND	TON	1	1
SM 4500F-C - Fluoride									
	06/20/18 18:55		1099422	(SM 4500F-C)	Fluoride	ND	mg/L	0.05	1
SM 2320B - Alkalinity in CaCO3 units									
	06/15/18 16:35		1099115	(SM 2320B)	Alkalinity in CaCO3 units	52	mg/L	2	1
E160.1/SM2540C - Total Dissolved Solids (TDS)									
06/12/18	06/12/18 19:44		1097690	1097700 (E160.1/SM2540C)	Total Dissolved Solids (TDS)	100	mg/L	10	1
SM 5540C/EPA 425.1 - Surfactants									
	06/15/18 11:20		1098584	(SM 5540C/EPA 425.1)	Surfactants	ND	mg/L	0.1	1
EPA 180.1 - Turbidity									
	06/15/18 16:37		1098728	(EPA 180.1)	Turbidity	0.11	NTU	0.1	1
SM2510B - Specific Conductance									

Rounding on totals after summation.
 (c) - indicates calculated results

Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Report: 743278
Project: ANNUAL
Group: annual-50 state

Private Spring Water LLC.
 Al Vincelette
 13240 Llagas Ave
 San Martin, CA 95046

Samples Received on:
 06/07/2018 1709

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
	06/15/18 16:35		1099123	(SM2510B)	Specific Conductance, 25 C	140	umho/cm	2	1
			4500HB/ E 150 - PH, Bottled Water						
	06/15/18 16:35		1099122	(4500HB/ E 150)	PH Bottled Water	7.4	Units	0.1	1
			SM 2120B - Apparent Color						
	06/15/18 16:51		1098747	(SM 2120B)	Apparent Color	ND	ACU	3	1
			SM 4500-CLO2-D/HACH - Chlorine Dioxide (H3=past HT not compliant)						
	06/11/18 14:05		1097200	(SM 4500-CLO2-D/HACH)	Chlorine Dioxide (H3=past HT not compliant)	ND	mg/L	0.24	1
			SM 4500-CL G - Total Chlorine Residual (H3=past HT not compliant)						
	06/11/18 14:13		1097329	(SM 4500-CL G)	Total Chlorine Residual (H3=past HT not compliant)	ND	mg/L	0.1	1
			SM 4500CL-G/HACH - Free Chlorine Residual (H3=past HT not compliant)						
	06/11/18 14:13		1097317	(SM 4500CL-G/HACH)	Free Chlorine Residual (H3=past HT not compliant)	ND	mg/L	0.1	1
			SM 4500CL-G/HACH - Chloramines (H3=past HT not compliant)						
	06/11/18 14:03		1096836	(SM 4500CL-G/HACH)	Chloramines (H3=past HT not compliant)	ND	mg/L	0.1	1

Rounding on totals after summation.
 (c) - indicates calculated results